

81%, the initial material balance calculation, and any exceedances as demonstrated through the calculation; or,

(B) For nonregenerative carbon adsorbers, submit the design evaluation, the continuous monitoring system performance report, and any excess emissions as demonstrated through deviations of monitored values.

(iii) For control devices other than an incinerator or carbon adsorber, each exceedance of the operating parameter(s) established for the control device under the initial performance test during which compliance was demonstrated;

(4) All chemical milling maskants currently in use that were not listed in the notification of compliance status or any other subsequent semiannual report;

(5) Descriptions of any control devices currently in use that were not listed in the notification of compliance status or any subsequent report; and

(6) If the operations have been in compliance for the semiannual period, a statement that the chemical milling maskant application operation has been in compliance with the applicable standards.

[60 FR 45956, Sept. 1, 1996; 61 FR 4903, Feb. 9, 1996, as amended at 61 FR 66227, Dec. 17, 1996; 63 FR 15023, Mar. 27, 1998; 63 FR 46535, Sept. 1, 1998]

**§§ 63.754–63.758 [Reserved]**

**§ 63.759 Implementation and enforcement.**

(a) This subpart can be implemented and enforced by the U.S. EPA, or a del-

egated authority such as the applicable State, local, or Tribal agency. If the U.S. EPA Administrator has delegated authority to a State, local, or Tribal agency, then that agency, in addition to the U.S. EPA, has the authority to implement and enforce this subpart. Contact the applicable U.S. EPA Regional Office to find out if implementation and enforcement of this subpart is delegated to a State, local, or Tribal agency.

(b) In delegating implementation and enforcement authority of this subpart to a State, local, or Tribal agency under subpart E of this part, the authorities contained in paragraph (c) of this section are retained by the Administrator of U.S. EPA and cannot be transferred to the State, local, or Tribal agency.

(c) The authorities that cannot be delegated to State, local, or Tribal agencies are as specified in paragraphs (c)(1) through (4) of this section.

(1) Approval of alternatives to the requirements in §§ 63.741, 63.743, 63.744(a)(3), (b) through (e), 63.745 through 63.748, and 63.649(a).

(2) Approval of major alternatives to test methods under § 63.7(e)(2)(ii) and (f), as defined in § 63.90, and as required in this subpart.

(3) Approval of major alternatives to monitoring under § 63.8(f), as defined in § 63.90, and as required in this subpart.

(4) Approval of major alternatives to recordkeeping and reporting under § 63.10(f), as defined in § 63.90, and as required in this subpart.

[68 FR 37352, June 23, 2003]

TABLE 1 TO SUBPART GG OF PART 63—GENERAL PROVISIONS APPLICABILITY TO SUBPART GG

Reference	Applies to affected sources in subpart GG	Comment
63.1(a)(1) .....	Yes	Reserved.
63.1(a)(2) .....	Yes	
63.1(a)(3) .....	Yes	
63.1(a)(4) .....	Yes	
63.1(a)(5) .....	No .....	
63.1(a)(6) .....	Yes	Reserved.
63.1(a)(7) .....	Yes	
63.1(a)(8) .....	Yes	
63.1(a)(9) .....	No .....	
63.1(a)(10) .....	Yes	
63.1(a)(11) .....	Yes	
63.1(a)(12) .....	Yes	

Environmental Protection Agency

Pt. 63, Subpt. GG, Table 1

Reference	Applies to affected sources in subpart GG	Comment
63.1(a)(13) .....	Yes	
63.1(a)(14) .....	Yes	
63.1(b)(1) .....	Yes	
63.1(b)(2) .....	Yes	
63.1(b)(3) .....	Yes	
63.1(c)(1) .....	Yes	
63.1(c)(2) .....	Yes	Subpart GG does not apply to area sources.
63.1(c)(3) .....	No	Reserved.
63.1(c)(4) .....	Yes	
63.1(c)(5) .....	Yes	
63.1(d) .....	No	Reserved.
63.1(e) .....	Yes	
63.2 .....	Yes	
63.3 .....	Yes	
63.4(a)(1) .....	Yes	
63.4(a)(2) .....	Yes	
63.4(a)(3) .....	Yes	
63.4(a)(4) .....	No	Reserved.
63.4(a)(5) .....	Yes	
63.4(b) .....	Yes	
63.4(c) .....	Yes	
63.5(a) .....	Yes	
63.5(b)(1) .....	Yes	
63.5(b)(2) .....	No	Reserved.
63.5(b)(3) .....	Yes	
63.5(b)(4) .....	Yes	
63.5(b)(5) .....	Yes	
63.5(b)(6) .....	Yes	
63.5(c) .....	No	Reserved.
63.5(d)(1)(i) .....	Yes	
63.5(d)(1)(ii)(A)–(H) .....	Yes	
63.5(d)(1)(ii)(I) .....	No	Reserved.
63.5(d)(1)(ii)(J) .....	Yes	
63.5(d)(1)(iii) .....	Yes	
63.5(d)(2)–(4) .....	Yes	
63.5(e) .....	Yes	
63.5(f) .....	Yes	
63.6(a) .....	Yes	
63.6(b)(1)–(5) .....	Yes	§ 63.749(a) specifies compliance dates for new sources.
63.6(b)(6) .....	No	Reserved.
63.6(b)(7) .....	Yes	
63.6(c)(1) .....	Yes	
63.6(c)(2) .....	No	The standards in subpart GG are promulgated under section 112(d) of the Act.
63.6(c)(3)–(4) .....	No	Reserved.
63.6(c)(5) .....	Yes	
63.6(d) .....	No	Reserved.
63.6(e) .....	Yes	63.743(b) includes additional provisions for the operation and maintenance plan.
63.6(f) .....	Yes	
63.6(g) .....	Yes	
63.6(h) .....	No	The standards in subpart GG do not include opacity standards.
63.6(i)(1)–(3) .....	Yes	
63.6(i)(4)(i)(A) .....	Yes	
63.6(i)(4)(i)(B) .....	No	§ 63.743(a)(4) specifies that requests for extension of compliance must be submitted no later than 120 days before an affected source's compliance date.
63.6(i)(4)(ii) .....	No	The standards in subpart GG are promulgated under section 112(d) of the Act.
63.6(i)(5)–(12) .....	Yes	
63.6(i)(13) .....	Yes	
63.6(i)(14) .....	Yes	
63.6(i)(15) .....	No	Reserved.
63.6(i)(16) .....	Yes	
63.6(j) .....	Yes	
63.7(a)(1) .....	Yes	
63.7(a)(2)(i)–(vi) .....	Yes	
63.7(a)(2)(vii)–(viii) .....	No	Reserved.
63.7(a)(2)(ix) .....	Yes	

Pt. 63, Subpt. GG, Table 1

40 CFR Ch. I (7–1–11 Edition)

Reference	Applies to affected sources in subpart GG	Comment
63.7(a)(3) .....	Yes	
63.7(b) .....	Yes	
63.7(c) .....	Yes	
63.7(d) .....	Yes	
63.7(e) .....	Yes	
63.7(f) .....	Yes	
63.7(g)(1) .....	Yes	
63.7(g)(2) .....	No .....	Reserved.
63.7(g)(3) .....	Yes	
63.7(h) .....	Yes	
63.8(a)(1)–(2) .....	Yes	
63.8(a)(3) .....	No .....	Reserved.
63.8(a)(4) .....	Yes	
63.8(b) .....	Yes	
63.8(c) .....	Yes	
63.8(d) .....	No	
63.8(e)(1)–(4) .....	Yes	
63.8(e)(5)(i) .....	Yes	
63.8(e)(5)(ii) .....	No .....	The standards in subpart GG do not include opacity standards.
63.8(f)(1) .....	Yes	
63.8(f)(2)(i)–(vii) .....	Yes	
63.8(f)(2)(viii) .....	No .....	The standards in subpart GG do not include opacity standards.
63.8(f)(2)(ix) .....	Yes	
63.8(f)(3)–(6) .....	Yes	
63.8(g) .....	Yes	
63.9(a) .....	Yes	
63.9(b)(1) .....	Yes	
63.9(b)(2) .....	Yes .....	§ 63.753(a)(1) requires submittal of the initial notification at least 1 year prior to the compliance date; § 63.753(a)(2) allows a title V or part 70 permit application to be substituted for the initial notification in certain circumstances.
63.9(b)(3) .....	Yes	
63.9(b)(4) .....	Yes	
63.9(b)(5) .....	Yes	
63.9(c) .....	Yes	
63.9(d) .....	Yes	
63.9(e) .....	Yes	
63.9(f) .....	No .....	The standards in subpart GG do not include opacity standards.
63.9(g)(1) .....	No	
63.9(g)(2) .....	No .....	The standards in subpart GG do not include opacity standards.
63.9(g)(3) .....	No	
63.9(h)(1)–(3) .....	Yes .....	§ 63.753(a)(1) also specifies additional information to be included in the notification of compliance status.
63.9(h)(4) .....	No .....	Reserved.
63.9(h)(5)–(6) .....	Yes	
63.9(i) .....	Yes	
63.9(j) .....	Yes	
63.10(a) .....	Yes	
63.10(b) .....	Yes	
63.10(c)(1) .....	No	
63.10(c)(2)–(4) .....	No .....	Reserved.
63.10(c)(5)–(8) .....	No	
63.10(c)(9) .....	No .....	Reserved.
63.10(c)(10)–(13) .....	No	
63.10(c)(14) .....	No .....	§ 63.8(d) does not apply to this subpart.
63.10(c)(15) .....	No	
63.10(d)(1)–(2) .....	Yes	
63.10(d)(3) .....	No .....	The standards in subpart GG do not include opacity standards.
63.10(d)(4) .....	Yes	
63.10(d)(5) .....	Yes	
63.10(e)(1) .....	No	
63.10(e)(2)(i) .....	No	
63.10(e)(2)(ii) .....	No .....	The standards in subpart GG do not include opacity standards.
63.10(e)(3) .....	No	

Reference	Applies to affected sources in subpart GG	Comment
63.10(e)(4) .....	No .....	The standards in subpart GG do not include opacity standards.
63.10(f) .....	Yes	
63.11 .....	Yes	
63.12 .....	Yes	
63.13 .....	Yes	
63.14 .....	Yes	
63.15 .....	Yes	

[63 FR 15024, Mar. 27, 1998]

#### APPENDIX A TO SUBPART GG OF PART 63—SPECIALTY COATING DEFINITIONS

**Ablative coating**—A coating that chars when exposed to open flame or extreme temperatures, as would occur during the failure of an engine casing or during aerodynamic heating. The ablative char surface serves as an insulative barrier, protecting adjacent components from the heat or open flame.

**Adhesion promoter**—A very thin coating applied to a substrate to promote wetting and form a chemical bond with the subsequently applied material.

**Adhesive bonding primer**—A primer applied in a thin film to aerospace components for the purpose of corrosion inhibition and increased adhesive bond strength by attachment. There are two categories of adhesive bonding primers: primers with a design cure at 250 °F or below and primers with a design cure above 250 °F.

**Aerosol coating**—A hand-held, pressurized, nonrefillable container that expels an adhesive or a coating in a finely divided spray when a valve on the container is depressed.

**Antichafe coating**—A coating applied to areas of moving aerospace components that may rub during normal operations or installation.

**Bearing coating**—A coating applied to an antifriction bearing, a bearing housing, or the area adjacent to such a bearing in order to facilitate bearing function or to protect base material from excessive wear. A material shall not be classified as a bearing coating if it can also be classified as a dry lubricative material or a solid film lubricant.

**Bonding maskant**—A temporary coating used to protect selected areas of aerospace parts from strong acid or alkaline solutions during processing for bonding.

**Caulking and smoothing compounds**—Semi-solid materials which are applied by hand application methods and are used to aerodynamically smooth exterior vehicle surfaces or fill cavities such as bolt hole accesses. A material shall not be classified as a caulking and smoothing compound if it can also be classified as a sealant.

**Chemical agent-resistant coating (CARC)**—An exterior topcoat designed to withstand exposure to chemical warfare agents or the decontaminants used on these agents.

**Clear coating**—A transparent coating usually applied over a colored opaque coating, metallic substrate, or placard to give improved gloss and protection to the color coat. In some cases, a clearcoat refers to any transparent coating without regard to substrate.

**Commercial exterior aerodynamic structure primer**—A primer used on aerodynamic components and structures that protrude from the fuselage, such as wings and attached components, control surfaces, horizontal stabilizers, vertical fins, wing-to-body fairings, antennae, and landing gear and doors, for the purpose of extended corrosion protection and enhanced adhesion.

**Commercial interior adhesive**—Materials used in the bonding of passenger cabin interior components. These components must meet the FAA fireworthiness requirements.

**Compatible substrate primer**—Includes two categories: compatible epoxy primer and adhesive primer. *Compatible epoxy primer* is primer that is compatible with the filled elastomeric coating and is epoxy based. The compatible substrate primer is an epoxy-polyamide primer used to promote adhesion of elastomeric coatings such as impact-resistant coatings. *Adhesive primer* is a coating that (1) inhibits corrosion and serves as a primer applied to bare metal surfaces or prior to adhesive application, or (2) is applied to surfaces that can be expected to contain fuel. Fuel tank coatings are excluded from this category.

**Corrosion prevention system**—A coating system that provides corrosion protection by displacing water and penetrating mating surfaces, forming a protective barrier between the metal surface and moisture. Coatings containing oils or waxes are excluded from this category.

**Critical use and line sealer maskant**—A temporary coating, not covered under other maskant categories, used to protect selected areas of aerospace parts from strong acid or